





FIG 4


| BUILDING BLOCK ID'S AN INDICATORS | D | 400 |
|--------------------------------------|------------|-----|
| PHYSICAL PORT ID | <u>402</u> | |
| LOGICAL PORT ID | <u>404</u> | |
| PARTITION ID | <u>406</u> | |
| PROTECT INDICATOR | 408 | |
| COMMIT INDICATOR | 410 | |
| STATUS INDICATOR | 412 | |














11/20




FIG. 8

FIG. 9

十

+

FIG. 10

P3partErr

P2commit -P3commit -

11

P3commit -

P1commit

P2partErr

Plcommit.

P2commit .

P3logId,P3parNum-

+

+





FIG. 11A

+






FIG. 11C





FIG. 12



19/20

| E | Port O Partition | 1 ⁸⁹ |
|-----------|--------------------|-----------------|
| | iguration Register | * |
| 31 | Reserved | |
| 30 | | |
| 29 | | |
| 28 | | |
| 27 | | |
| 26 | | |
| 25 | | |
| 24 | | |
| 23 | | |
| 22 | | |
| 21 | | |
| 20 | | |
| 19 | , | |
| 18 | | |
| 17 | | • |
| 16 | | |
| 15 14- | | |
| 13 | | |
| 12 | · | |
| | | |
| 11 10 | 1 | |
| 9 | | |
| 8 | P0Enable | 91 |
| 7 | I CENUDIC | |
| 6 | POPartWrProt | ~77 |
| 5 | | -78 |
| 4 | | -79 |
| 3 | | -92 |
| 2 | . 520312 | |
| 1 | | -93 |
| 0 | • | |
| | | • |

FIG. 14




FIG. 15